Author Index of Volume 209

Abraham, C.J., 119
Abuhijleh, A.L., 187
Adams, H., 55
Alsfasser, R., 19
Anderson, J.E., 151
Andersson, S., 195
Angus, P.M., 123
Arulsamy, N., 61

Bailey, N.A., 55
Balué, J., 151
Bandoli, G., 231
Baratta, W., 85
Barral, M.C., 105
Bayón, J.C., 151
Bérubé, G., 97
Biagini Cingi, M., 219
Bowman-James, K., 115
Bradley, J.C., 161
Bridson, J.N., 1
Brooks, H., 161
Brown, K.L., 161
Bruck, M.A., 29

Carper, W.R., 239
Casas, J.S., 137
Castellano, E.E., 137
Chiumia, G.C., 213
Clase, H.J., 1
Cotton, F.A., 23
Coville, N.J., 5
Craig, D.C., 213
Crispini, A., 235
Cundari, T.R., 101

Dolmella, A., 231
du Plooy, K.E., 5

El-Sayrafi, O., 41

Fairlie, D.P., 123
Fenton, D.E., 55
Fernando, Q., 29, 35
Ferrer, S., 219
Foulon, J.-D., 47
Fuchita, Y., 229
Fukushima, N., 207

García-Tasende, M.S., 137
Gattuso, F., 129
Gerard, K.J., 119
Ghedini, M., 235
Gleizes, A., 47
Glerup, J., 61
Godfrey, S.M., 41
Gunasingam, R., 123
Gutiérrez-Puebla, E., 105

Haasnoot, J.G., 219
Håkansson, M., 195
Hodgson, D.J., 61
House, D.A., 119
Hovnanian, N., 47

Imdadullah, 213
Inoue, M., 29, 35
Inoue, M.B., 29, 35
Isab, A.A., 129

Jackson, W.G., 123
Jagner, S., 195
Jiménez-Aparicio, R., 105
Jung, W.-S., 79

Kambayashi, H., 143
Kang, S.-J., 23
Keller, C.E., 239
Khalil, R.A., 55
Krause, J.A., 101
Kunkely, H., 93

Lahuerta, P., 177
Lanfranchi , M., 219
Latorre, J., 177
Lau, K.W.C., 89
Lau, T.-C., 89
Lo, C.-K., 89

Ma, R., 71
Mandal, S.K., 1
Manotti Lanfredi, A.M., 219
Marques, H.M., 161
Martell, A.E., 71
Martínez-Máñez, R., 177
Masuda, H., 207
Matear, P.P., 41
McAuliffe, C.A., 41
Meadows, G., 225
Medus, D., 47
Miele, P., 47
Mills, A., 225
Muñoz, I.C., 29
Murphy, C.P., 151

Nagao, H., 143
Nakagawa, T., 79
Nakamoto, M., 143
Neve, F., 235

Payá, J., 177
Peng, S.-M., 143
Peruzzo, V., 231
Phillips, D.J., 213
Piersma, B.J., 239
Plazzogna, G., 231
Polo, E., 171
Pregosin, P.S., 85
Pritchard, R.G., 41

Ray, S., 1
Real, J., 151

Reedijk, J., 219
Rehorek, D., 171
Royer, E.C., 105
Ruíz-Valero, C., 105

Sánchez, A., 137
Sans-Lenain, S., 47
Saucedo, M.J., 105
Shaw III, C.F., 129
Shepherd, R.E., 201
Sommerer, S.O., 101
Sordo, J., 137
Sostero, S., 171
Stocco, G., 129

Tanaka, K., 143
Tiripicchio, A., 177
Tiripicchio Camellini, M., 177
Tomiyasu, H., 79
Traverso, O., 171
Tsuchiya, H., 229

Urbanos, F.A., 105

Vahrenkamp, H., 19
Vázquez-López, E.M., 137
Vogler, A., 93

Waizumi, K., 207
Westcott, B.L., 101
Wheeler, P., 97
Woods, C., 187

Yohannes, P.G., 115

Zhu, T., 123
Zukerman-Schpector, J., 137

Elsevier Sequoia

Subject Index of Volume 209

Alkaline earth metal complexes
structural rigidity of first hydration spheres of Na^+ and Ca^{2+} in cluster models. Full geometry optimizations of $[M(H_2O)_6]^{n+}$, $[M(H_2O)_6\cdots H_2O]^{n+}$ and $[M(H_2O)_6\cdots Cl]^{(n-1)+}$ (M = Na and Ca, $n = 1$ for Na and 2 for Ca) by density functional calculations, 207
Alkaline metal complexes
structural rigidity of first hydration spheres of Na^+ and Ca^{2+} in cluster models. Full geometry optimizations of $[M(H_2O)_6]^{n+}$, $[M(H_2O)_6\cdots H_2O]^{n+}$ and $[M(H_2O)_6\cdots Cl]^{(n-1)+}$ (M = Na and Ca, $n = 1$ for Na and 2 for Ca) by density functional calculations, 207
Alkyl complexes
characterization of species in ethylaluminum dichloride molten salts by ^{27}Al NMR, 239
Aluminum complexes
characterization of species in ethylaluminum dichloride molten salts by ^{27}Al NMR, 239
Amide complexes
a new dinuclear amine–cobalt(III) complex containing two bridging amide ions, 123
Amine complexes
the hydrolysis products of *cis*-diamminedichloroplatinum(II) 8. Kinetics of the base hydrolysis of $PtCl_2(AA)$ (AA = en, chxn, tn, Me_2tn) and *trans*-$PtCl_2(NH_3)_2$, 119
a new dinuclear amine–cobalt(III) complex containing two bridging amide ions, 123
oxidation of ruthenium(II) tris(2,2-bipyridine) ions by thallic ions, mediated by ruthenium dioxide hydrate: a classic example of reversible redox catalysis, 225
synthesis of ortho-palladated complexes of *N*-methylbenzylamine: the first example of ortho-palladation of α-unsubstituted secondary benzylamine, 229
Anticonvulsant drugs
characterization and catecholase-mimetic behavior of imidazole adducts of copper(II) valproate. Crystal structure of the 2-methylimidazole adduct, 187
Antitumor activity
the synthesis of new platinum(II) complexes linked to non-steroidal estrogens, 97
Aqua complexes
structural rigidity of first hydration spheres of Na^+ and Ca^{2+} in cluster models. Full geometry optimizations of $[M(H_2O)_6]^{n+}$, $[M(H_2O)_6\cdots H_2O]^{n+}$ and $[M(H_2O)_6\cdots Cl]^{(n-1)+}$ (M = Na and Ca, $n = 1$ for Na and 2 for Ca) by density functional calculations, 207
Aquo complexes
placing hydroxide in the thermodynamic *trans* influence order of the cobalt corrinoids: equilibrium constants for the reaction of some ligands with aquahydroxocobinamide, 161
ATP complexes
rapid hydrolysis of ATP by lanthanum(III) at pH 13, 115

Bidentate ligand complexes
yttrium tetramethylheptanedionates: syntheses, crystal and molecular structures and thermal behaviours of $Y(thd)_3\cdot H_2O$ and $Y(thd)_3$ (thd = ^{t}BuC(O)CHC(O)^{t}Bu), 47
cis- and *trans*-derived chain stacking in bis(hexafluoroacetylacetonato)metal(II) tetramethylpyrazine complexes, 55
mononuclear and binuclear oxo-bridged iron(III) complexes of *N,N'*-bis(2-pyridylmethyl)ethane-1,2-diamine (bispicen), 61
kinetics and mechanism of the ligand exchange reaction in tetrakis(acetylacetonato)hafnium(IV) in C_6D_6, 79
vibrational and NMR spectroscopic studies of cadmium(II) bis(dialkyl dithiophosphinates), 137
X-ray crystal structure of *cis*-$[Co(pxo)_2Br_2]$ (pxo = 2-acetylpyridine 1-oxide oxime). Bis-chelate *cis*-octahedral complexes $M(pxo)_2Hal_2$ ($M = Co^{II}$, Ni^{II}; Hal = Cl, Br), 213
oxidation of ruthenium(II) tris(2,2-bipyridine) ions by thallic ions, mediated by ruthenium dioxide hydrate: a classic example of reversible redox catalysis, 225
synthesis and structure of the dimer $[Ir_2Cl_2I_2(CO)_2(\mu\text{-dppm})_2]$, 235
Binuclear complexes
mononuclear and binuclear oxo-bridged iron(III) complexes of *N,N'*-bis(2-pyridylmethyl)ethane-1,2-diamine (bispicen), 61
a new dinuclear amine–cobalt(III) complex containing two bridging amide ions, 123
anion design by choice of cation: isolation of a dinuclear chlorocuprate(I) anion containing trigonally coordinated copper(I) using the tetraethylphosphonium cation, 195
Bridging ligand complexes
two reaction products of $[Rh_2(O_2CCH_3)_2(CH_3CN)_6][BF_4]_2$: $[Rh_2(O_2CCH_3)(chp)_2(CH_3CN)_3][BF_4]$ and $[Rh(dpcp)_2][BF_4]$, 23

Cadmium complexes
vibrational and NMR spectroscopic studies of cadmium(II) bis(dialkyl dithiophosphinates), 137
Carbonyl complexes
mono-substituted cyclopentadienyl half-sandwich transition metal complexes: ligand orientational effects, 5
spin trapping and some reactions of ruthenium-centred radicals, 171
synthesis and structure of the dimer $[Ir_2Cl_2I_2(CO)_2(\mu\text{-dppm})_2]$, 235
Carboxylate complexes
characterization and catecholase-mimetic behavior of imidazole adducts of copper(II) valproate. Crystal structure of the 2-methylimidazole adduct, 187
Catalysis
reconsidered mechanism in Ru^{III}(hedta)-catalyzed epoxidation of stilbenes, 201
oxidation of ruthenium(II) tris(2,2-bipyridine) ions by thallic ions, mediated by ruthenium dioxide hydrate: a classic example of reversible redox catalysis, 225
Chelate complexes
zinc complexes of the N,N,S ligand bis(pyrazolyl)-(thienyl)methane, 19
yttrium tetramethylheptanedionates: syntheses, crystal and molecular structures and thermal behaviours of $Y(thd)_3\cdot H_2O$ and $Y(thd)_3$ (thd = ^{t}BuC(O)CHC(O)^{t}Bu), 47

cis- and *trans*-derived chain stacking in bis(hexafluoro-acetylacetonato)metal(II) tetramethylpyrazine complexes, 55
protonation constants and metal ion binding constants of *N,N'*-bis(2-hydroxyphenyl)-*N,N'*-ethylenediaminediacetic acid, 71
kinetics and mechanism of the ligand exchange reaction in tetrakis(acetylacetonato)hafnium(IV) in C_6D_6, 79
X-ray crystal structure of *cis*-$[Co(pxo)_2Br_2]$ (pxo = 2-acetyl-pyridine 1-oxide oxime). Bis-chelate *cis*-octahedral complexes $M(pxo)_2Hal_2$ ($M = Co^{II}$, Ni^{II}; Hal = Cl, Br), 213
Cluster complexes
stabilization of superoxidized form of synthetic Fe_4S_4 cluster as the first model of high potential iron sulfur proteins in aqueous media, 143
Cobalt complexes
capped trigonal prism coordination geometry in a cobalt(II) chelate with a 24-membered macrocyclic ligand in which two ethylenediaminetetraacetato and two ethylenediamine groups are linked by amide bonds, 35
photoredox reaction of a trinuclear Co(III), Co(III), Ru(II) complex induced by metal-to-metal charge transfer excitation and a subsequent charge shift, 93
a new dinuclear amine–cobalt(III) complex containing two bridging amide ions, 123
placing hydroxide in the thermodynamic *trans* influence order of the cobalt corrinoids: equilibrium constants for the reaction of some ligands with aquahydroxo-cobinamide, 161
X-ray crystal structure of *cis*-$[Co(pxo)_2Br_2]$ (pxo = 2-acetyl-pyridine 1-oxide oxime). Bis-chelate *cis*-octahedral complexes $M(pxo)_2Hal_2$ ($M = Co^{II}$, Ni^{II}; Hal = Cl, Br), 213
synthesis and characterization of mononuclear complexes containing 3-acetylamino-1,2,4-triazole (aat). X-ray structure of $[Co(aat)_2(H_2O)_2]Br_2$, 219
Copper complexes
synthesis, structure and electrochemistry of a novel di-nuclear cobalt(II) complex containing pyrrole units: an unusual reductive electropolymerization of the dinuclear cobalt(II) complex, 1
characterization and catecholase-mimetic behavior of imidazole adducts of copper(II) valproate. Crystal structure of the 2-methylimidazole adduct, 187
anion design by choice of cation: isolation of a dinuclear chlorocuprate(I) anion containing trigonally coordinated copper(I) using the tetraethylphosphonium cation, 195
Crystal structures
synthesis, structure and electrochemistry of a novel di-nuclear cobalt(II) complex containing pyrrole units: an unusual reductive electropolymerization of the dinuclear cobalt(II) complex, 1
zinc complexes of the N,N,S ligand bis(pyrazolyl)-(thienyl)methane, 19
two reaction products of $[Rh_2(O_2CCH_3)_2(CH_3CN)_6][BF_4]_2$: $[Rh_2(O_2CCH_3)(chp)_2(CH_3CN)_3][BF_4]$ and $[Rh(dpcp)_2][BF_4]$, 23
syntheses of new 15-membered and 16-membered macro-cyclic ligands with three pendant acetato groups and the structures of the gadolinium(III) complexes, 29
capped trigonal prism coordination geometry in a cobalt(II) chelate with a 24-membered macrocyclic ligand in which two ethylenediaminetetraacetato and two ethylenediamine groups are linked by amide bonds, 35
the preparation, characterisation and subsequent reaction with sulfur dioxide of some triphenylarsine oxide complexes of manganese(II) salts, 41
yttrium tetramethylheptanedionates: syntheses, crystal and molecular structures and thermal behaviours of $Y(thd)_3 \cdot H_2O$ and $Y(thd)_3$ (thd = $^tBuC(O)CHC(O)^tBu$), 47
cis- and *trans*-derived chain stacking in bis(hexafluoro-acetylacetonato)metal(II) tetramethylpyrazine complexes, 55
mononuclear and binuclear oxo-bridged iron(III) complexes of *N,N'*-bis(2-pyridylmethyl)ethane-1,2-diamine (bispicen), 61
a structural and computational study of tetraaqua[2,6-diacetylpyridinebis(semicarbazone)]-gadolinium(III) trinitrate, 101
synthesis and crystal structure of a ruthenium complex containing two monodentate DPPM ligands (DPPM = bis(diphenylphosphino)methane), 105
synthesis of orthometallated rhodium(III) compounds. Crystal structures of $[RhCl_2\{\eta^2\text{-}(C_6H_4)PPh_2\}(\eta^2\text{-dppm})]$ and $[RhCl\{\eta^2\text{-}(C_6H_4)PPh_2\}(\eta^1\text{-PCCl})(phen)](SbF_6) \cdot CH_2Cl_2$ (dppm = bis(diphenyl-phosphino)methane; PCCl = $P(o\text{-}ClC_6H_4)Ph_2$; phen = 1,10 phenanthroline), 177
characterization and catecholase-mimetic behavior of imidazole adducts of copper(II) valproate. Crystal structure of the 2-methylimidazole adduct, 187
anion design by choice of cation: isolation of a dinuclear chlorocuprate(I) anion containing trigonally coordinated copper(I) using the tetraethylphosphonium cation, 195
structural rigidity of first hydration spheres of Na^+ and Ca^{2+} in cluster models. Full geometry optimizations of $[M(H_2O)_6]^{n+}$, $[M(H_2O)_6 \cdots H_2O]^{n+}$ and $[M(H_2O)_6 \cdots Cl]^{(n-1)+}$ (M = Na and Ca, $n = 1$ for Na and 2 for Ca) by density functional calculations, 207
X-ray crystal structure of *cis*-$[Co(pxo)_2Br_2]$ (pxo = 2-acetyl-pyridine 1-oxide oxime). Bis-chelate *cis*-octahedral complexes $M(pxo)_2Hal_2$ ($M = Co^{II}$, Ni^{II}; Hal = Cl, Br), 213
synthesis and characterization of mononuclear complexes containing 3-acetylamino-1,2,4-triazole (aat). X-ray structure of $[Co(aat)_2(H_2O)_2]Br_2$, 219
the structure of *trans*-bis(ethane-1,2-dithiolato[2−]-*S,S'*)-bis(3-aminopyrazole)tin(IV), 231
synthesis and structure of the dimer $[Ir_2Cl_2I_2(CO)_2(\mu\text{-dppm})_2]$, 235
Cyclopentadienyl complexes
mono-substituted cyclopentadienyl half-sandwich transition metal complexes: ligand orientational effects, 5
spin trapping and some reactions of ruthenium-centred radicals, 171

Dinuclear complexes
synthesis, structure and electrochemistry of a novel di-nuclear cobalt(II) complex containing pyrrole units: an unusual reductive electropolymerization of the dinuclear cobalt(II) complex, 1
two reaction products of $[Rh_2(O_2CCH_3)_2(CH_3CN)_6][BF_4]_2$: $[Rh_2(O_2CCH_3)(chp)_2(CH_3CN)_3][BF_4]$ and $[Rh(dpcp)_2][BF_4]$, 23
a convenient preparation of dinuclear Pt(II) phosphine complexes, 85
synthesis and structure of the dimer $[Ir_2Cl_2I_2(CO)_2(\mu\text{-dppm})_2]$, 235
Diphosphine complexes
synthesis and crystal structure of a ruthenium complex containing two monodentate DPPM ligands (DPPM = bis(diphenylphosphino)methane), 105

Electrochemistry
synthesis, structure and electrochemistry of a novel dinuclear cobalt(II) complex containing pyrrole units: an unusual reductive electropolymerization of the dinuclear cobalt(II) complex, 1
stabilization of superoxidized form of synthetic Fe_4S_4 cluster as the first model of high potential iron sulfur proteins in aqueous media, 143
Electron transfer
electron transfer properties of rhodium(I) oxalate complexes, 151
Estrogen complexes
the synthesis of new platinum(II) complexes linked to non-steroidal estrogens, 97

Gadolinium complexes
syntheses of new 15-membered and 16-membered macrocyclic ligands with three pendant acetato groups and the structures of the gadolinium(III) complexes, 29
a structural and computational study of tetraaqua[2,6-diacetylpyridinebis(semicarbazone)]-gadolinium(III) trinitrate, 101
Gold complexes
synthesis and characterization of complexes of trialkyl- and triarylphosphine gold(I) with thiolated purines and pyrimidines: a class of bifunctional compounds with potential antitumor activity, 129

Hafnium complexes
kinetics and mechanism of the ligand exchange reaction in tetrakis(acetylacetonato)hafnium(IV) in C_6D_6, 79
Halide complexes
anion design by choice of cation: isolation of a dinuclear chlorocuprate(I) anion containing trigonally coordinated copper(I) using the tetraethylphosphonium cation, 195
synthesis and structure of the dimer $[Ir_2Cl_2I_2(CO)_2(\mu\text{-dppm})_2]$, 235
Heterocyclic amine complexes.
the structure of *trans*-bis(ethane-1,2-dithiolato[2−]-*S*,*S*′)-bis(3-aminopyrazole)tin(IV), 231
Hydrolysis
rapid hydrolysis of ATP by lanthanum(III) at pH 13, 115
the hydrolysis products of *cis*-diamminedichloroplatinum(II) 8. Kinetics of the base hydrolysis of $PtCl_2(AA)$ (AA = en, chxn, tn, Me_2tn) and *trans*-$PtCl_2(NH_3)_2$, 119
Hydroxo complexes
placing hydroxide in the thermodynamic *trans* influence order of the cobalt corrinoids: equilibrium constants for the reaction of some ligands with aquahydroxo-cobinamide, 161

Iridium complexes
synthesis and structure of the dimer $[Ir_2Cl_2I_2(CO)_2(\mu\text{-dppm})_2]$, 235
Iron complexes
mononuclear and binuclear oxo-bridged iron(III) complexes of *N*,*N*′-bis(2-pyridylmethyl)ethane-1,2-diamine (bispicen), 61
stabilization of superoxidized form of synthetic Fe_4S_4 cluster as the first model of high potential iron sulfur proteins in aqueous media, 143

Kinetics and mechanism
protonation constants and metal ion binding constants of *N*,*N*′-bis(2-hydroxyphenyl)-*N*,*N*′-ethylenediaminediacetic acid, 71
kinetics and mechanism of the ligand exchange reaction in tetrakis(acetylacetonato)hafnium(IV) in C_6D_6, 79
kinetics and mechanism of the reduction of *trans*-dioxo-ruthenium(VI) by iron(II), 89
the hydrolysis products of *cis*-diamminedichloroplatinum(II) 8. Kinetics of the base hydrolysis of $PtCl_2(AA)$ (AA = en, chxn, tn, Me_2tn) and *trans*-$PtCl_2(NH_3)_2$, 119
placing hydroxide in the thermodynamic *trans* influence order of the cobalt corrinoids: equilibrium constants for the reaction of some ligands with aquahydroxo-cobinamide, 161
oxidation of ruthenium(II) tris(2,2-bipyridine) ions by thallic ions, mediated by ruthenium dioxide hydrate: a classic example of reversible redox catalysis, 225

Lanthanum complexes
rapid hydrolysis of ATP by lanthanum(III) at pH 13, 115

Macrocyclic ligand complexes
syntheses of new 15-membered and 16-membered macrocyclic ligands with three pendant acetato groups and the structures of the gadolinium(III) complexes, 29
capped trigonal prism coordination geometry in a cobalt(II) chelate with a 24-membered macrocyclic ligand in which two ethylenediaminetetraacetato and two ethylenediamine groups are linked by amide bonds, 35
Manganese complexes
the preparation, characterisation and subsequent reaction with sulfur dioxide of some triphenylarsine oxide complexes of manganese(II) salts, 41
Metal complexes
mono-substituted cyclopentadienyl half-sandwich transition metal complexes: ligand orientational effects, 5
cis- and *trans*-derived chain stacking in bis(hexafluoroacetylacetonato)metal(II) tetramethylpyrazine complexes, 55
Metal ion complexes
protonation constants and metal ion binding constants of *N*,*N*′-bis(2-hydroxyphenyl)-*N*,*N*′-ethylenediaminediacetic acid, 71
Molten salt complexes
characterization of species in ethylaluminum dichloride molten salts by ^{27}Al NMR, 239

Nickel complexes
X-ray crystal structure of *cis*-$[Co(pxo)_2Br_2]$ (pxo = 2-acetylpyridine 1-oxide oxime). Bis-chelate *cis*-octahedral complexes $M(pxo)_2Hal_2$ ($M = Co^{II}$, Ni^{II}; Hal = Cl, Br), 213
NMR
characterization of species in ethylaluminum dichloride molten salts by ^{27}Al NMR, 239
Nucleobase complexes
synthesis and characterization of complexes of trialkyl- and triarylphosphine gold(I) with thiolated purines and pyrimidines: a class of bifunctional compounds with potential antitumor activity, 129

Olefin complexes
reconsidered mechanism in Ru^{III}(hedta)-catalyzed epoxidation of stilbenes, 201
Orthometallated ligand complexes
synthesis of orthometallated rhodium(III) compounds. Crystal structures of $[RhCl_2\{\eta^2\text{-}(C_6H_4)PPh_2\}(\eta^2\text{-dppm})]$ and $[RhCl\{\eta^2\text{-}(C_6H_4)PPh_2\}(\eta^1\text{-PCCl})(phen)](SbF_6)\cdot CH_2Cl_2$ (dppm = bis(diphenyl-

phosphino)methane; PCCl = P(*o*-ClC_6H_4)Ph_2; phen = 1,10 phenanthroline), 177
Ortho-palladate ligand complexes
synthesis of ortho-palladated complexes of *N*-methylbenzylamine: the first example of ortho-palladation of α-unsubstituted secondary benzylamine, 229
Oxalate complexes
electron transfer properties of rhodium(I) oxalate complexes, 151
Oxidation
reconsidered mechanism in Ru^{III}(hedta)-catalyzed epoxidation of stilbenes, 201
Oxo complexes
kinetics and mechanism of the reduction of *trans*-dioxoruthenium(VI) by iron(II), 89

Palladium complexes
synthesis of ortho-palladated complexes of *N*-methylbenzylamine: the first example of ortho-palladation of α-unsubstituted secondary benzylamine, 229
Phosphine complexes.
a convenient preparation of dinuclear Pt(II) phosphine complexes, 85
Photochemistry
photoredox reaction of a trinuclear Co(III), Co(III), Ru(II) complex induced by metal-to-metal charge transfer excitation and a subsequent charge shift, 93
Platinum complexes
a convenient preparation of dinuclear Pt(II) phosphine complexes, 85
the synthesis of new platinum(II) complexes linked to non-steroidal estrogens, 97
the hydrolysis products of *cis*-diamminedichloroplatinum(II) 8. Kinetics of the base hydrolysis of $PtCl_2$(AA) (AA = en, chxn, tn, Me_2tn) and *trans*-$PtCl_2(NH_3)_2$, 119
Polydentate ligand complexes
zinc complexes of the N,N,S ligand bis(pyrazolyl)-(thienyl)methane, 19
protonation constants and metal ion binding constants of *N*,*N'*-bis(2-hydroxyphenyl)-*N*,*N'*-ethylenediaminediacetic acid, 71
Protein complexes
stabilization of superoxidized form of synthetic Fe_4S_4 cluster as the first model of high potential iron sulfur proteins in aqueous media, 143

Radical complexes
spin trapping and some reactions of ruthenium-centred radicals, 171
Rhodium complexes
two reaction products of $[Rh_2(O_2CCH_3)_2(CH_3CN)_6][BF_4]_2$: $[Rh_2(O_2CCH_3)(chp)_2(CH_3CN)_3][BF_4]$ and $[Rh(dpcp)_2][BF_4]$, 23
electron transfer properties of rhodium(I) oxalate complexes, 151
synthesis of orthometallated rhodium(III) compounds. Crystal structures of $[RhCl_2\{\eta^2\text{-}(C_6H_4)PPh_2\}(\eta^2\text{-dppm})]$ and $[RhCl\{\eta^2\text{-}(C_6H_4)PPh_2\}(\eta^1\text{-PCCl})(phen)](SbF_6)\cdot CH_2Cl_2$ (dppm = bis(diphenylphosphino)methane; PCCl = P(*o*-ClC_6H_4)Ph_2; phen = 1,10 phenanthroline), 177
Ruthenium complexes
kinetics and mechanism of the reduction of *trans*-dioxoruthenium(VI) by iron(II), 89
photoredox reaction of a trinuclear Co(III), Co(III), Ru(II) complex induced by metal-to-metal charge transfer excitation and a subsequent charge shift, 93
synthesis and crystal structure of a ruthenium complex containing two monodentate DPPM ligands (DPPM = bis(diphenylphosphino)methane), 105
spin trapping and some reactions of ruthenium-centred radicals, 171
reconsidered mechanism in Ru^{III}(hedta)-catalyzed epoxidation of stilbenes, 201
oxidation of ruthenium(II) tris(2,2-bipyridine) ions by thallic ions, mediated by ruthenium dioxide hydrate: a classic example of reversible redox catalysis, 225

Schiff base complexes
a structural and computational study of tetraaqua[2,6-diacetylpyridinebis(semicarbazone)]-gadolinium(III) trinitrate, 101
Sulfur complexes
stabilization of superoxidized form of synthetic Fe_4S_4 cluster as the first model of high potential iron sulfur proteins in aqueous media, 143
Sulfur dioxide complexes
the preparation, characterisation and subsequent reaction with sulfur dioxide of some triphenylarsine oxide complexes of manganese(II) salts, 41

Thallium complexes
oxidation of ruthenium(II) tris(2,2-bipyridine) ions by thallic ions, mediated by ruthenium dioxide hydrate: a classic example of reversible redox catalysis, 225
Thiolate complexes
synthesis and characterization of complexes of trialkyl- and triarylphosphine gold(I) with thiolated purines and pyrimidines: a class of bifunctional compounds with potential antitumor activity, 129
the structure of *trans*-bis(ethane-1,2-dithiolato[2−]-*S*,*S'*)-bis(3-aminopyrazole)tin(IV), 231
Thiophosphinate complexes
vibrational and NMR spectroscopic studies of cadmium(II) bis(dialkyl dithiophosphinates), 137
Tin complexes
the structure of *trans*-bis(ethane-1,2-dithiolato[2−]-*S*,*S'*)-bis(3-aminopyrazole)tin(IV), 231
Triazole complexes
synthesis and characterization of mononuclear complexes containing 3-acetylamino-1,2,4-triazole (aat). X-ray structure of $[Co(aat)_2(H_2O)_2]Br_2$, 219
Trinuclear complexes
photoredox reaction of a trinuclear Co(III), Co(III), Ru(II) complex induced by metal-to-metal charge transfer excitation and a subsequent charge shift, 93

Yttrium complexes
yttrium tetramethylheptanedionates: syntheses, crystal and molecular structures and thermal behaviours of $Y(thd)_3\cdot H_2O$ and $Y(thd)_3$ (thd = ^{t}BuC(O)CHC(O)^{t}Bu), 47

Zinc complexes
zinc complexes of the N,N,S ligand bis(pyrazolyl)-(thienyl)methane, 19